

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.unpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/799,526	03/11/2004	Aram Lindahl	APL1P306/P3270	8495
62464 BEYER LAW	7590 07/09/200 GROUP LLP/APPLE I		EXAMINER	
P.O. BOX 1687			OLANIRAN, FATIMAT O	
CUPERTINO,	CA 95015-1687		ART UNIT	PAPER NUMBER
			2614	•
			MAIL DATE	DELIVERY MODE
			07/09/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/799,526 LINDAHL ET AL. Office Action Summary F..... A ... 11...!4

	Examiner	AILOIIL	
	FATIMAT O. OLANIRAN	2614	
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence ac	ldress
Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D/ Extensions of time may be available under the provisions of 37 CPR 1.7 If NO period for reply is specified above, the maximum statutory period we for the provision of the Cffice later than three months after the mailing earned patter them adjustment. See 37 CPR 1.7001 and provision of the provision	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a repty be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this o D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 23 Ap	pril 2009.		
·- · · · · · · · · · · · · · · · · · ·	action is non-final.		
3) Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the	merits is
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.	
Disposition of Claims			
4) ☐ Claim(s) 30-53 is/are pending in the application 4a) Of the above claim(s) is/are withdraw			
5) Claim(s) is/are allowed.	will from consideration.		
6) Claim(s) 30-53 is/are rejected.			
7)			
8) Claim(s) are subject to restriction and/or	r election requirement		
and daughter to receive and an analysis			
Application Papers			
9)☐ The specification is objected to by the Examine	r.		
10) The drawing(s) filed on is/are: a) acce	epted or b)⊡ objected to by the I	Examiner.	
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	937 CFR 1.85(a).	
Replacement drawing sheet(s) including the correct			
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P	ГО-152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreigna) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).	
 Certified copies of the priority documents 	s have been received.		
Certified copies of the priority documents	s have been received in Applicati	on No	
 Copies of the certified copies of the prior application from the International Bureau 	•	ed in this National	Stage
* See the attached detailed Office action for a list	of the certified copies not receive	d.	
Attachment(s)			
Notice of References Cited (RTO 902)	4) D Intonious Summons	(DTO 412)	

 Interview Summary (PTO-413)
 Paper No(s)/Mail Date. ______. Notice of References Cited (PTO-992)
 Notice of Draftsperson's Patent Drawing Review (PTO-948)
 Information Disclosure Statement(s) (PTO/SE/08) 5) Notice of Informal Patent Application
6) Other: Paper No(s)/Mail Date _____ U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Office Action Summary Part of Paper No./Mail Date 20090625

Page 2

Application/Control Number: 10/799,526

Art Unit: 2614

DETAILED ACTION

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 30-39, and 41-52 rejected under 35 U.S.C. 103(a) as being unpatentable over King et al (7123728).

Claim 30, King discloses method performed by a portable device capable of playing media items, the method (Fig. 3 and col. 3 line 18-30 and col. 3 line 52-67 and col. 4 line 22-25) comprising: receiving a media item and n-band graphic equalizer setting values associated with the media item from a host device, (Fig. 3-4 col. 4 line 22-38); and generating m filters to approximate the n-band graphic equalizer settings, where m is less than n, by: identifying a plurality of filter patterns in a composite frequency response shape representing the n-band graphic equalizer setting values, each filter pattern corresponding to a predetermined filter type from a set of filter types (Fig. 4-8 and col.4 line 52-67 and col. 6 line 30-41); for each identified filter pattern, creating a plurality of filters by creating a filter of the predetermined filter type corresponding to the identified filter pattern; determining parameters for each of the plurality of filters such that the plurality of filters approximates the composite frequency response shape representing the n-band graphic equalizer setting values; assigning a priority to each of the plurality of filters; and limiting the number of the plurality of filters to not more than m

Art Unit: 2614

based on the priority assigned to each of the plurality of filters (Fig. 4-8 and col.4 line 52-67 and col. 6 line 30-41).

King does not explicitly disclose wherein the host device has greater computational resources than the portable device.

However King discloses computers of various computational resources, various connectivity options (Fig. 3-4 and col. 4 lines 22-38, col. 3 lines 30-67).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method of King with various computers in order to have a versatile system.

Claim 31 analyzed with respect to claim 30, King discloses wherein the set of filter types comprises a low-shelf filter, a high-shelf filter, and a parametric filter (Fig. 4-8 and col. 6 lines 30-41).

Claim 32 analyzed with respect to claim 30-31, King discloses wherein identifying the plurality of filter patterns in the composite frequency response shape representing the n-band graphic equalizer setting values comprises identifying at most one low-shelf filter pattern, at most one high-shelf filter pattern, and one or more parametric filter patterns in the composite frequency response shape representing the n-band graphic equalizer setting values (Fig. 4-8 and col. 5 lines 60-67 and col. 6 lines 1-4, col. 6 lines 30-41).

Art Unit: 2614

Claim 33 analyzed with respect to claim 30, King discloses playing the media item using the not more than m filters (Fig. 4-8 and col. 4 line 52-55).

Claim 34 analyzed with respect to claim 30, King discloses further comprising determining that the n-band graphic equalizer setting values associated with the media item have changed (Fig. 4-8 and col. 5 lines 1-67).

Claim 35 analyzed with respect to claim 34, 30, King discloses further comprising receiving changed n-band graphic equalizer setting values to be associated with the media item from a user interface of the portable media device (Fig. 4-8 and col. 5 lines 1-67).

Claim 36 analyzed with respect to claims 34-35, 30, King discloses further comprising associating the changed n-band graphic equalizer setting values with the media item (Fig. 4-8 and col. 5 lines 1-67).

Claim 37, analyzed with respect to claims 34-35, 30, King discloses further comprising, in response to receiving the changed n-band graphic equalizer settings, generating a second set of m filters to approximate the changed n-band graphic equalizer setting (Fig. 4-8 and col. 4 line 50-67 and col. 5 lines 1-67).

Art Unit: 2614

Claim 38 analyzed with respect to claim 30, 34-35, 37 King discloses, wherein generating the second set of m filters comprises: identifying a plurality of filter patterns in a composite frequency response shape representing the changed n-band graphic equalizer setting values, each filter pattern corresponding to a predetermined filter type from the set of filter types (Fig. 4-8 and col. 5 lines 1-67) creating a plurality of filters by, for each identified filter pattern, creating a filter of the predetermined filter type corresponding to the identified filter pattern; determining parameters for each of the plurality of filters such that the plurality of filters approximates the composite frequency response shape representing the changed n-band graphic equalizer setting values; assigning a priority to each of the plurality of filters; and limiting the number of the plurality of filters to not more than m based on the priority assigned to each of the plurality of filters (Fig. 4-8 and col. 4 line 52-67 and col. 6 line 30-41).

Claim 39 analyzed with respect to claim 30, 34-35, 37 King discloses, wherein determining that the n-band graphic equalizer setting values associated with the media item have changed and generating the second set of m filters are performed during the playing of the media item (Fig. 4-8 and col. 5 line59-67 and col. 6 line 1-4).

Claim 41, King discloses a portable media device comprising: a communications module to receive a media item from a host computer (Fig. 3 and col. 3 line 18-30 and col. 3 line 52-67 and col. 4 line 22-25) and to further receive equalizer setting

Art Unit: 2614

information from the host computer, the equalizer setting information being associated with the media item; a data store for storing the media item and the associated equalizer setting information received from the host computer; and a processor operatively connected to the data store (Fig. 3 and col. 3 line 52-67 col. 4 line 22-38), wherein the processor operates to

acquire equalizer setting values based on the equalizer setting information, to approximate the equalizer setting values with a reduced filter order approximation, and to present the media item in accordance with the reduced filter order approximation, wherein the processor approximates the equalizer setting values with a reduced filter order approximation by: identifying a plurality of filter patterns in a composite frequency response shape representing the equalizer setting values, each filter pattern corresponding to a predetermined filter type from a set of filter types (Fig. 4-8 and col.4 line 52-67 and col. 6 line 30-41); creating a plurality of filters by, for each identified filter pattern, creating a filter of the predetermined filter type corresponding to the identified filter pattern; determining parameters for each of the plurality of filters such that the plurality of filters approximates the composite frequency response shape representing the equalizer setting values; assigning a priority to each of the plurality of filters; and limiting the number of the plurality of filters to not more than a predetermined number allowed by the portable media device based on the priority assigned to each of the plurality of filters (Fig. 4-8 and col. 4 line 52-67 and col. 5 line 1-67).

King does not explicitly disclose a host computer having greater computational resources than the portable media device.

Art Unit: 2614

However King discloses computers of various computational resources, various connectivity options (Fig. 3-4 and col. 4 lines 22-38. col. 3 lines 30-67).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method of King with various computers in order to have a versatile system.

Claim 42 analyzed with respect to claim 41, King discloses further to generate an analog output signal representing the media item in accordance with the reduced filter order approximation (Fig. 3 and col. 4 line 22-36 and col. 8 line 57-65).

King does not explicitly disclose comprising a coder/decoder (CODEC) to receive the presentation of the media item. However King discloses a computer processor and various inputs and audio output (Fig. 3 and col. 8 lines 56-65). Examiner takes Official notice on the limitation coder/decoder, coder/decoders are well known in the art at the time of the invention. In addition it would have been obvious to one of ordinary skill in the art at the time of the invention that the computer system of King includes a codec in order to process various inputs.

Claim 43 analyzed with respect to claim 41-42, King discloses, further comprising a speaker coupled to the CODEC, wherein the speaker converts the analog output signal to sound, wherein the sound is substantially similar to sound produced when the media

Art Unit: 2614

item is played on the host computer in accordance with the equalizer information associated with the media item (Fig. 3-4 and col. 8 lines 56-65).

Claim 44 analyzed with respect to claim 41, King discloses, wherein the equalizer setting information associated with the media item received from the host computer is configured to be used by host computer to present the media item, the equalizer setting information being related to a graphic equalizer for the purpose of implementing a graphic equalizer on the portable device (Fig. 3-4 and col. 4 line 22-37).

King does not explicitly disclose requiring greater computational resources than available from the processor of the portable media device.

However King discloses computers of various computational resources, and various connectivity options (Fig. 3 and col. 3 line 19-30 and col. 3 line 52-67 and col. 4 line 1-2).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method of King with various computers in order to have a versatile system.

Claim 45, King discloses a computer-readable medium having stored thereon data representing instructions that, when executed by the processor of a portable device capable of playing media items, cause the processor to perform operations (Fig. 3 abstract and col. 4 line 22-37) comprising: receiving a media item and n-band graphic equalizer setting values associated with the media item from a host device, and

Art Unit: 2614

generating m filters to approximate the n-band graphic equalizer settings, where m is less than n, by: identifying a plurality of filter patterns in a composite frequency response shape representing the n-band graphic equalizer setting values, each filter pattern corresponding to a predetermined filter type from a set of filter types (Fig. 3-4 and col. col. 4 line 52-67); creating a plurality of filters by, for each identified filter pattern, creating a filter of the predetermined filter type corresponding to the identified filter pattern; determining parameters for each of the plurality of filters such that the plurality of filters approximates the composite frequency response shape representing the n-band graphic equalizer setting values; assigning a priority to each of the plurality of filters; and limiting the number of the plurality of filters to not more than m based on the priority assigned to each of the plurality of filters (Fig. 4-8 and col. 4 line 52-67 and col. 5 line 1-67)

King does not explicitly disclose wherein the host device has greater computational resources than the portable device:

However King discloses computers of various computational resources, various connectivity options (Fig. 3-4 and col. 4 lines 22-38, col. 3 lines 30-67).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method of King with various computers in order to have a versatile system.

Art Unit: 2614

Claim 46 analyzed with respect to claim 45, King discloses wherein the set of filter types comprises a low-shelf filter, a high-shelf filter, and a parametric filter (Fig. 4-8 and col. 6 lines 30-41).

Claim 47 analyzed with respect to claim 45-46, King discloses wherein the processor identifies the plurality of filter patterns in the composite frequency response shape representing the n-band graphic equalizer setting values by identifying at most one low-shelf filter pattern, at most one high-shelf filter pattern, and one or more parametric filter patterns in the composite frequency response shape representing the n-band graphic equalizer setting values (Fig. 4-8 and col. 4 line 53-67 and col. 6 line 30-41).

Claim 48 analyzed with respect to claim 45, king discloses, further comprising playing the media item using the not more than m filters (Fig. 4-8 and col. 4 line 53-55).

Claim 49 analyzed with respect to claim 48, 45, King discloses, wherein the instructions further cause the processor to determine that the n-band graphic equalizer setting values associated with the media item have changed and receiving changed n-band graphic equalizer setting values to be associated with the media item from a user interface of the portable media device (Fig. 4-8 and col. 5 line 60-67 and col. 6 line 1-4).

Art Unit: 2614

Claim 50 analyzed with respect to claim 48-49, 45, King discloses wherein the instructions further cause the processor to associate the changed n-band graphic equalizer setting values with the media item (Fig. 4-8 and col. 5 line 60-67 and col. 6 line 1-4).

Claim 51 analyzed with respect to claim 48-50, 45, King discloses, wherein the instructions further cause the processor to, in response to receiving the changed n-band graphic equalizer settings, generate a second set of m filters to approximate the changed n-band graphic equalizer settings (Fig. 4-8 and col. 5 line 60-67 and col. 6 line 1-4).

Claim 52, analyzed with respect to claim 48-51, 45, King discloses wherein determining that the n-band graphic equalizer setting values associated with the media item have changed and generating the second set of m filters are performed during the playing of the media item (Fig. 4-8 and col. 5 line 60-67 and col. 6 line 1-4).

Claims 40 and 53 rejected under 35 U.S.C. 103(a) as being unpatentable over
 King et al (7123728) in view of Montag et al (7409066).

Claim 40 analyzed with respect to claim 30, King does not explicitly disclose wherein the plurality of filters comprise second order recursive filters.

Montag discloses second order recursive filters (col. 3 lines 56-67).

Art Unit: 2614

Therefore it would have been obvious to one of ordinary skill in the art a the time of the invention to use second order recursive filters in the equalizer of King in order to have a well known digital filter to integrate with other circuits.

Claim 53 recites all the limitations of claim 40.

Application/Control Number: 10/799,526

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to FATIMAT O. OLANIRAN whose telephone number is (571)270-3437. The examiner can normally be reached on M-F 10:00-6 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on 571-272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/799,526 Page 13

Art Unit: 2614

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

FO

/Vivian Chin/ Supervisory Patent Examiner, Art Unit 2614